SBR 47 | 15-16 Dt 28-5-2015

**M. A. R. 57 (Rule 116)** No. C/08

Measurement Book

Serial No. BR 240 | 16-9-2015 33860

Name of work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work.....

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | Name of work:- Improvements & construction of C.C road & Drains at officer residual colony 2nd & 3rd cross parallel to pipe line road Dasarahalli ward No 15 | | | | | | |
| | Agency:- Sri M. Lakshmi narayana. | | | | | | |
| | Est cost 19.60 lakhs. | | | | | | |
| | Job code:- 015-15-000019 | | | | | | |
| | Administrative approval CE/DK/A.A/065/14.15 | | | | | | Date 29.10.14 |
| | Technical approval CE/D.D./TS 086/14.15 | | | | | | Dated 29.10.14 |
| | Work order No:-305/14.15 | | | | | | |
| | Date of R/C 25.5.15 | | | | | | |
| | Item No 1 Excavation for road drains & trenches work by manual means in Hard soil involving all manner horizontal throw up to | | | | | | |

## MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | 2 rds & an average left up to 0.5 m excavated surface leveled & sides neatly dressed the deposed earth spoil heaped by the Engineer in charge of the works. | | | | | | |
| | Qnty brought this MB P. 94 | | | | 170.54 cmt | | 17906.70 |
| | @105.00 cmt | | | | | | |
| | Item 2 Removing B.S slab of drains & stacking the same like at per direction of Engineer in charge of the works | | | | | | |
| | Qnty brought this MB P - 895 | | | | 98160 sft | | 56932.80 |
| | @58.00 sft | | | | | | |
| | Item No 3 providing & laying in position plain cement concrete of ratio 1:5 with approved 180 kgf with 40 mm thickness single graded granite metal coarse aggregate 0.85 cmt & fine | | | | | | |

## M. A. R. 57 (Rule 116)

Measurement Book

No. C/08

Serial No. .....

33861

Name of work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work.....

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | aggregate 0.57 cmt & fine reinforced concrete laid in layers not exceeding 15 cms thick well compacted in foundation & plinth including cost of all materials labour Hire of machinery & tools like as per specification & direction of Engineer in charge of the works. | | | | | | |
| | Qnty brought this MB P 96. | | | | 36.81 cmt | | 1472.40 |
| | @4000/ | | | | | | |
| | Item No 4 Providing & laying in position plain cement concrete of ratio 1:2:4 with approved graded granite metal coarse aggregate 0.878 cmt & fine aggregate @ 0.453 cmt in all well compacted | | | | | | |

## MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | in foundation & plinth including cost of all material labour HS m of necessary curing complete as per specification & direction of Engineer-in-charge of work. Qty brought Ms 78 p-37 @ 5200.00 Cost | | | | 36.81 Cub | | 191412-00 |
| | Ofm 5 Providing stone slab of double & plinth in C.M 1:3 etc complete as per specification & direction of Engineer-in-charge Qty brought Ms 78 p. 38 @ 75.00 | | | | 588.96 Sft | | 44172=00 |
| | Ofm 6 providing glazed stone slab including grinding polishing & fixing in C.M. 1:6 including fixing curing etc complete Qty brought Ms 78 p. 39 @ 639.00 Cost | | | | 392.64 Sft | | 250896-96 |

## M. A. R. 57 (Rule 116)

Measurement Book

No. C/08

33862

Serial No. .....

Name of work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work.....

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | Ofm 7 providing & constructing RCC cast in situ in prescribed proportion 1:4 brick bats size 25 to 125 mm thick reasonable scope & under including cost of all required labour charges scaffolding curing etc complete. | | | | | | |
| | Qty of 2 | 30.00 | x 0.10 | = | 6.00 | | |
| | " 2 | 30.00 | x 0.10 | = | 6.00 | | |
| | " 2 | 11.50 | x 0.10 | = | 2.30 | | |
| | Qty carried 2 | 30.00 | x 0.10 | = | 6.00 | | |
| | Qty 2 | 30.00 | x 0.10 | = | 6.00 | | |

## MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | | 2 | 4.00 | 0.20 | = 2.80 | | |
| | | 2 | 30.00 | 0.10 | 6.00 | | |
| | | 2 | 8.00 | 0.20 | 3.20 | | |
| | | 2 | 30.00 | 0.20 | = 12.00 | | |
| | | 2 | 30.00 | 0.10 | = 6.00 | | |
| | | 2 | 25.00 | 0.10 | = 5.00 | | |
| | | 2 | 30.00 | 0.20 | = 12.00 | | |
| | | 2 | 30.00 | 0.10 | = 6.00 | | |
| | | 2 | 30.00 | 0.10 | 6.00 | | |
| | | 2 | 30.00 | 0.20 | = 12.00 | | |
| | | 2 | 30.00 | 0.20 | 12.00 | | |
| | | 2 | 28.00 | 0.10 | 5.60 | | |
| | | 2 | 30.00 | 0.10 | 6.00 | | |
| | | 2 | 30.00 | 0.10 | 6.00 | | |
| | | 2 | 30.00 | 0.10 | 6.00 | | |
| | | 2 | 30.00 | 0.20 | 12.00 | | |

## M. A. R. 57 (Rule 116)

Measurement Book

No. C/08

33863

Serial No. .....

Name of work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work.....

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | | 2 × 30.00 × 0.10 = 6.00 | | | | | |
| | | 2 × 4.80 × 0.20 = 3.12 | | | | | |
| | | 2 × 26.80 × 0.20 = 10.72 | | | | | |
| | | | | 164.20 | | Deducted 163.60 | |
| | 993.00 @ 157.00 Rate | | | | | Rupees 25685.20 | |
| (2) | Supplying & fixing 3/4 cast reinforced concrete seat 10 cms - thick including cost of reinforcement as per design & drawing as detail cost - Incorporation here charges of Railway Station ceiling fee Vertical fabric to get plain edges labour charges included | | | | | 162454.00 | |

## MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | of cost of all specification of the works. | as per details & direction of Engineer | | | | | as per above |
| | Rft wall | 1 | 30.00 | 0.75 | = 22.50 | Sqm | |
| | | 1 | 30.00 | 0.75 | = 22.50 | " | |
| | | 1 | 11.50 | 0.75 | = 22.50 | " | |
| | Rft cross R/s | 1 | 30.00 | 0.75 | = 22.50 | " | |
| | | 1 | 8.00 | 0.75 | = 6.00 | " | |
| | Rft cross R/s | 1 | 30.00 | 0.75 | = 22.50 | " | |
| | | 1 | 30.00 | 0.75 | = 22.50 | " | |
| | | 1 | 25.00 | 0.75 | = 18.75 | " | |
| | Rft wall | 1 | 30.00 | 0.75 | = 22.50 | " | |
| | | 1 | 23.50 | 0.75 | = 17.62 | " | |
| | Rft cross R/s | 1 | 13.00 | 0.75 | = 9.75 | " | |
| | | 1 | 12.50 | 0.75 | = 9.37 | " | |
| | | 1 | 29.80 | 0.75 | = 22.35 | " | |
| | | 1 | 30.00 | 0.75 | = 22.50 | | |

E.E. (D.D.)

## M. A. R. 57 (Rule 116)

Measurement Book

No. C/08

33864

Serial No. .....

Name of work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work.....

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | | 1 | 30.00 | 0.75 | = 22.50 | Sqm | |
| | | 1 | 8.00 | 0.75 | = 6.00 | " | |
| | Rft cross R/s | 1 | 14.30 | 0.75 | = 10.72 | " | |
| | Rft cross R/s | 1 | 30.00 | 0.75 | = 22.50 | " | |
| | | 1 | 30.00 | 0.75 | = 22.50 | " | |
| | | 1 | 30.00 | 0.75 | = 22.50 | " | |
| | | 1 | 25.30 | 0.75 | = 18.97 | | |
| | Rft wall R/s | 1 | 8.20 | 0.75 | = 6.15 | " | |
| | Rft cross R/s | 1 | 25.00 | 0.75 | = 18.75 | " | |
| | " | 1 | 15.50 | 0.75 | = 11.62 | " | |
| | | 1 | 14.00 | 0.75 | = 10.50 | " | |

E.E. (D.D.)

## MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | | 1 | 15.00 | 0.75 | = 11.25 | Sqm | |
| | | 1 | 12.50 | 0.75 | = 9.37 | | |
| | | 1 | 9.00 | 0.75 | = 6.75 | | |
| | | 58 | 0.60 | 0.75 | = 26.10 | | |
| | | 30 | 0.60 | 0.75 | = 13.50 | | |
| | | 55 | 0.60 | 0.90 | = 29.70 | | |
| | | 65 | 0.60 | 0.90 | = 35.10 | | |
| | | 50 | 0.60 | 0.90 | = 27.00 | | |
| | | 31 | 0.60 | 0.90 | = 16.74 | | |
| | | | | | Sqm | 612.06 | |
| | 1570.00 | | | | | 980936.20 | |

# M. A. R. 57 (Rule 116)

Measurement Book

No. C/08

33865

Serial No. .....

Name of work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work.....

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 3) | Supplying & laying spreading compacting grade stone aggregate to wet deep excavated specification including the necessary lead & water at one end required rolled of upper to the layering use vibrator layers & power use sub base vibrator roller to achieve the desired density complete. | | | | | | |
| | | 1 | 30.00 | 1.00 | 0.15 = 4.50 Cum | | |
| | | 1 | 30.00 | 1.00 | 0.15 = 4.50 | | |
| | | 1 | 30.00 | 1.00 | 0.15 = 4.50 | | |
| | | 1 | 30.00 | 1.00 | 0.15 = 4.50 | | |
| | | 1 | 30.00 | 1.00 | 0.15 = 4.50 | | |

## MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | Share & Fuel Cement & 28/8/15 @ Rs 1400.00 Cost | 1×30.00×1.00×0.15 = 4.50<br>1×20.00×1.00×0.15 = 3.00<br>30.00 cft | | | | | 42000.00 |
| 10) | Disposal of debris to the pixal peace. of disposal work all lead & lift as directed by the Engineer i/c charge of the work lead & lift as per site for salvage of materials as per site specification & direction Engineer i/c charge of the work. Sandy & gravel @ 105.00 Cost | | | | | 1270.54 cft | 13302-12 |
| | (1) certify that contractor has done the above item of work satisfactorily (2) certify that contractor is entitled to the amount claimed (3) that Rs is due from contractor's bill | | | | | | 188725.50 |

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಟಿ.ದಾಸರಹಳ್ಳಿ ಉಪ-ವಿಭಾಗ

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಟಿ.ದಾಸರಹಳ್ಳಿ ಉಪ-ವಿಭಾಗ

## M. A. R. 57 (Rule 116)
Measurement Book

No. C/08
33866

Serial No. .....
Name of work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work.....

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| |  | | | | | | |



ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಟಿ.ದಾಸರಹಳ್ಳಿ-ಉಪ-ವಿಭಾಗ

## MEASUREMENT BOOK

| Date | Full description | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | | | | | | | |

Audited and admitted for Rs. 1887251=00
Passed by Cheque for Rs. 1758117=00
(
)
by adjustment Rs. 129134=00
Accounts Superintendent
Asst. Executive Engineer
Exe. Engineer
K.R.I.D.L. Hesaraghatta Division

Serial No. .....
Name of work
Name of Contr
Date of comme

| Date | Full des |
|---|---|
| 1 | |